

5

Epoxy Coating Roller Slides



8101 Regular Bottom Mount Roller Slide



Specifications


- **Length:** 300mm to 600mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Black and Brown
- **Material:** Cold Rolled steel

Packing


- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 100pcs/carton
CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton

Applications

- Pencil Drawer




Dimension Specifications



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8101-300	300.0 (12.00)	215.0 (8.46)
8101-350	350.0 (14.00)	265.0 (10.43)
8101-400	400.0 (16.00)	315.0 (12.40)
8101-450	450.0 (18.00)	365.0 (14.37)
8101-500	500.0 (20.00)	405.0 (15.94)
8101-550	550.0 (22.00)	448.0 (17.63)
8101-600	600.0 (24.00)	490.0 (19.29)



8102 Regular Side Mount Roller Slide



Specifications


- **Length:** 300mm to 500mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Side Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Black and Brown
- **Material:** Cold Rolled steel

Packing

- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 100pcs/carton
CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton


Applications

- Pencil Drawer




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8102-300	300.0 (12.00)	215.0 (8.46)
8102-350	350.0 (14.00)	265.0 (10.43)
8102-400	400.0 (16.00)	315.0 (12.40)
8102-450	450.0 (18.00)	365.0 (14.37)
8102-500	500.0 (20.00)	405.0 (15.94)



8103 Self-Closing Bottom Mount Slide



Specifications


- **Length:** 250mm to 600mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Black and Brown
- **Material:** Cold Rolled steel

Packing


- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 100pcs/carton
CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton

Applications

- Pencil Drawer




Dimension Specifications



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8103-250	250.0 (10.00)	165.0 (6.50)
8103-300	300.0 (12.00)	215.0 (8.46)
8103-350	350.0 (14.00)	265.0 (10.43)
8103-400	400.0 (16.00)	315.0 (12.40)
8103-450	450.0 (18.00)	365.0 (14.37)
8103-500	500.0 (20.00)	405.0 (15.94)
8103-550	550.0 (22.00)	448.0 (17.63)
8103-600	600.0 (24.00)	490.0 (19.29)



8127 Self-Closing Bottom Mount Slide



Specifications


- **Length:** 418mm to 570mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Cream
- **Material:** Cold Rolled steel

Packing

- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 50pcs/carton
CR: 50pcs/carton
DL: 50pcs/carton
DR: 50pcs/carton


Applications

- Kitchen Cabinet




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8127-418	418.0 (16.46)	280.0(11.02)
8127-500	500.0 (19.69)	362.0 (14.25)
8127-570	570.0 (22.44)	432.0 (17.00)



8113 Adjustable Self-Closing Bottom Mount Roller Slide



5

Epoxy Coating Roller Slides

Specifications


- **Length:** 450mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Black and Brown
- **Material:** Cold Rolled steel

Packing

- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 100pcs/carton
CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton


Applications

- Kitchen Cabinets




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8113-450	450.0 (18.00)	365.0(14.37)



8120 Self-Closing Bottom Mount Slide with Quiet Motion



Specifications


- **Length:** 250mm to 600mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Almond, Black and Brown
- **Material:** Cold Rolled steel
- **Feature:** Very Quiet Slide Motion

Packing

- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 100pcs/carton
CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton


Applications

- Pencil Drawer




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8120-250	250.0 (10.00)	165.0 (8.46)
8120-300	300.0 (12.00)	215.0 (8.46)
8120-350	350.0 (14.00)	265.0 (10.43)
8120-400	400.0 (16.00)	315.0 (12.40)
8120-450	450.0 (18.00)	365.0 (14.37)
8120-500	500.0 (20.00)	405.0 (15.94)
8120-550	550.0 (22.00)	448.0 (17.63)
8120-600	600.0 (24.00)	490.0 (19.29)



8106 Quick Assembly Slide

US Patent No. 5449231



5

Epoxy Coating Roller Slides

Specifications


- **Length:** 350mm to 400mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Black and Brown
- **Material:** Cold Rolled Steel
- **Features:** Quick assembly / disassembly without screw.
Provide great convenience and efficiency for DIY customers and for mass production.

Packing

- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 100pcs/carton
CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton


Applications

- Furniture and Kitchen Cabinet




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8106-350	350.0 (14.00)	265.0 (10.43)
8106-400	400.0 (16.00)	315.0 (12.40)



8122 2P Regular Bottom Mount Slide



Specifications


- **Length:** 350mm to 400mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Black and Brown
- **Material:** Cold Rolled steel

Packing

- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 100pcs/carton
CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton


Applications

- Pencil Drawer




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8122-350	350.0 (14.00)	265.0(10.43)
8122-400	400.0 (16.00)	315.0 (12.40)



8124 Dual-Captive Bottom Mount Slide with Socket

China Patent No. 396932, No.419360



Specifications


- **Length:** 418mm to 589mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 12mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Cream
- **Material:** Cold Rolled steel
- **Feature:** Slide Self-adjusts Its Width for Optimum Slide Motion

Packing


- Unit Packed in 20 sets/carton
- Bulk Packed: CL: 50pcs/carton
CR: 50pcs/carton
DL: 50pcs/carton
DR: 50pcs/carton

Applications

- Wooden Kitchen Cabinet / Drawer




Dimension Specifications



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8124-437 (CL, CR)	437.0 (17.20)	280.0(11.02)
8124-418 (DL, DR)	418.0 (16.46)	280.0 (11.02)
8124-513 (CL, CR)	513.0 (20.20)	362.0 (14.25)
8124-500 (DL, DR)	500.0 (19.69)	362.0 (14.25)
8124-589 (CL, CR)	589.0 (23.19)	432.0 (17.00)
8124-570 (DL, DR)	570.0 (22.44)	432.0 (17.00)



8153 Under Mount Slide



Specifications


- **Length:** 434mm to 589mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 16.9mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Under Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Brown, Black
- **Material:** Cold Rolled steel

Packing

- Unit Packed in 25 sets/carton


Applications

- Pencil Drawer




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8153-434	434.0 (17.09)	308.0(12.13)
8153-510	510.0 (20.08)	362.0 (14.25)
8153-589	589.0 (23.19)	420.0 (16.54)



8170 Full Extension Bottom Mount Slide



5

Epoxy Coating Roller Slides

Specifications


- **Length:** 509mm to 585mm
- **Travel:** Full Extension
- **Side Space:** 11.25mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Brown, Black
- **Material:** Cold Rolled steel

Packing

- Unit Packed in 50 sets/carton


Applications

- Pencil Drawer




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8170-509	509.0 (20.04)	489.0(19.25)
8170-572	572.0 (22.52)	552.0 (21.73)
8170-585	585.0 (23.03)	565.0 (22.24)



8133 86mm Screw-on Wall Slide



Specifications


- **Length:** 350mm to 550mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 15.5mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Sliver Gray
- **Material:** Cold Rolled steel

Packing

- Unit Packed in 10 sets/carton


Applications

- Pencil Drawer




Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Height mm	Slide Length mm (inch)	Min Internal Cabinet Depth mm (inch)	Actual Loss Of Extension mm
8133-350S	86	350.0 (13.78)	357.0 (14.06)	67
8133-400S	86	400.0 (15.75)	407.0 (16.02)	67
8133-450S	86	450.0 (17.72)	457.0 (18.00)	77
8133-500S	86	500.0 (19.69)	507.0 (19.96)	84
8133-550S	86	550.0 (21.65)	557.0 (21.93)	92



8134 118mm Screw-on Wall Slide



5

Epoxy Coating Roller Slides

Specifications


- **Length:** 350mm to 550mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 15.5mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Sliver Gray
- **Material:** Cold Rolled steel

Packing


- Unit Packed in 10 sets/carton

Applications

- Pencil Drawer




Dimension Specifications



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Height mm	Slide Length mm (inch)	Min Internal Cabinet Depth mm (inch)	Actual Loss Of Extension mm
8134-350S	118	350.0 (13.78)	357.0 (14.06)	67
8134-400S	118	400.0 (15.75)	407.0 (16.02)	67
8134-450S	118	450.0 (17.72)	457.0 (18.00)	77
8134-500S	118	500.0 (19.69)	507.0 (19.96)	84
8134-550S	118	550.0 (21.65)	557.0 (21.93)	92



8135 150mm Screw-on Wall Slide



Specifications


- **Length:** 350mm to 550mm
- **Travel:** 3/4 Full Extension
- **Side Space:** 15.5mm (+0.5mm-0mm)
- **Hole Pattern:** 32mm
- **Mount:** Bottom Mount
- **Finish:** Epoxy Power Coating
- **Color:** White, Sliver Gray
- **Material:** Cold Rolled steel

Packing

- Unit Packed in 10 sets/carton


Applications

- Pencil Drawer



Dimension Specifications

mm (inch)



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Height mm	Slide Length mm (inch)	Min Internal Cabinet Depth mm (inch)	Actual Loss Of Extension mm
8135-350S	150	350.0 (13.78)	357.0 (14.06)	67
8135-400S	150	400.0 (15.75)	407.0 (16.02)	67
8135-450S	150	450.0 (17.72)	457.0 (18.00)	77
8135-500S	150	500.0 (19.69)	507.0 (19.96)	84
8135-550S	150	550.0 (21.65)	557.0 (21.93)	92

